

tempuser_create.php

Creates a new temporary user.

Note: Due to the amount of data transferred, it is advisable to address this RTI function via POST instead of GET.

Description

POST `tempuser_create.php?company=RTI_COMPANYKEY&import=RTI_IMPORTKEY&user=USER_JSON_OBJECT&vehicles=VEHICLES_RTICODES_JSON_ARRAY&portal_rights=PORTAL_RIGHTS_JSON_OBJECT`

Parameters

Parameter	Description	Type	Note	Mandatory
company	RTI company key	STRING		yes
import	RTI import key	STRING		yes
user	data for new user	JSON OBJECT STRING	JSON object must contain the following parameters: <ul style="list-style-type: none">"start" = valid from date, format YYYY-MM-DD HH:SS"end" = valid to date, format YYYY-MM-DD HH:SS"firstname" = firstname of new user"lastname" = lastname of new user"email" = email address of new user	yes
vehicles	assigned vehicles of the new user	JSON ARRAY STRING	JSON array mit RTI vehicle keys	no
portal_rights	portal rights of the new user	JSON OBJECT STRING	JSON object with portal rights. The following portal rights can be assigned:	no

Area	Parameter	possible portalrights
Address Management	address_manager	<ul style="list-style-type: none"> • no • see • edit
Orders & Messages	message_manager	<ul style="list-style-type: none"> • no • see • edit
Maintenance Database	wdb	<ul style="list-style-type: none"> • no • see • confirm • edit
Time recording	zef	<ul style="list-style-type: none"> • no • see • edit
Logbook	logbook	<ul style="list-style-type: none"> • no • see • edit
Personnel Information	personalinfo	<ul style="list-style-type: none"> • hide • see • edit
Forms research	customdialog	<ul style="list-style-type: none"> • no • edit
Research Pictures	picture_search	<ul style="list-style-type: none"> • no • see • edit
RDL files of deleted vehicles	see_deleted_rdl	<ul style="list-style-type: none"> • no • see
Digitacho Download/Archive	digitacho	<ul style="list-style-type: none"> • no • see • add_other_activities • edit
Expenses	travelcosts	<ul style="list-style-type: none"> • no • see • edit
View searches	view_searches	<ul style="list-style-type: none"> • no • yes
View positions	view_positions	<ul style="list-style-type: none"> • no • yes
Inventory	inventory	<ul style="list-style-type: none"> • no • see • edit • edit_and_profile_changes
Inventory history	inventory_history	<ul style="list-style-type: none"> • no • see • edit
Sublicense Management	sublicense_management	<ul style="list-style-type: none"> • no • edit

			Note: If a portal right is not specified in the JSON object, the default portal right for this area automatically applies. The standard portal rights are indicated in bold in the table above.	
--	--	--	---	--

Return

If successful, "**OK**" will be returned..

If there are missing or incorrect entries, an "**ERROR:Beschreibung**" is returned.

Examples

Create a new temporary user with standard portal rights and one vehicle assignment

```
https://map.yellowfox.de/rti/tempuser_create.php?company=RTI_COMPANYKEY&import=RTI_IMPORTKEY&user={"start":"2018-11-01 00:00:00","end":"2018-12-01 00:00:00","lastname":"Mustermann","firstname":"Max","email":"m.mustermann@example.com"}&vehicles=["RTI_VEHICLEKEY"]
```

Create a new temporary user with portal rights for positions, addresses, orders and messages and multiple vehicle assignments

```
https://map.yellowfox.de/rti/tempuser_create.php?company=RTI_COMPANYKEY&import=RTI_IMPORTKEY&user={"start":"2018-11-01 00:00:00","end":"2018-12-01 00:00:00","lastname":"Mustermann","firstname":"Max","email":"m.mustermann@example.com"}&vehicles=["RTI_VEHICLEKEY","RTI_VEHICLEKEY","RTI_VEHICLEKEY"]&portal_rights={"view_positions":"yes","address_manager":"edit","message_manager":"edit"}
```